




LIST OF PRODUCT






Sr. No.	Type of Valves	Class	Size	Materials	Remarks	Remarks
Ball Valve (Flange End)						
01	Ball Valves (3pc Flange End)	Flange End 150#, "E" & "F" Table	1/2" to 8"	CF8 (SS 304) CF8M (SS 316) M.S. (WCB) C.I. -Inter SS	Square Body (Investment Castings)	
02	Ball Valves (2pc Flange End)	Flange End 150#	1/2" to 4"	CF8 (SS 304) CF8M (SS 316) M.S. (WCB)	Double Sealing Zero leak proof Body (IC.Casting)	
03	Ball Valves (1pc Flange End)	Flange End 150#	1" to 4"	CF8 (SS 304) CF8M (SS 316) M.S. (WCB)	Investment Casted	
Ball Valve (Screwed End/Socket Weld End)						
04	Ball Valves (3pc Screwed / Socket End)	Screwed end/Socket Weld End	1/2" to 4"	CF8 (SS 304) CF8M (SS 316) M.S. (WCB) C.I. -Inter SS	Square Body (Investment Castings)	
05	Ball Valves (1pc/2pc Screwed End)	Screwed End	1/4" to 2"	CF8 (SS 304) CF8M (SS 316) M.S. (WCB)	(Investment Casted)	
Ball Valve (3Way/TC End/Extended Stem/Auto)						
06	Ball Valves (3pc TC End)	Triclover End (TC End)	1/2" to 4"	CF8 (SS 304) CF8M (SS 316)	Square Body (Investment Castings)	
07	3 Way Ball Valve (Flange End)	Flanged End 150# & Screwed End	1" to 3"	CF8 (SS 304) CF8M (SS 316) M.S. (WCB)	"L" Port Design, (IC.Casting)	

08	Ball Valves (Extended Stem)	Flange End/Screwed End/TC End)	½" to 4"	CF8 (SS 304) CF8M (SS 316) M.S. (WCB)	Investment Casted	
09	Auto Ball Valve (Actuator Mounted Ball Valve)	Flange End & Screwed End	½" to 4"	CF8 (SS 304) CF8M(SS 316), WCB	Pneumatic actuator Double /Single acting	
Flush Bottom Valve						
10	Flush Bottom Ball Valve	Flanged End 150#	1½" to 6"	CF8 (SS 304) CF8M (SS 316)	Single Piece Body Investment Castings	
11	Y - Flush Bottom Valve	Flanged End 150#	2" to 4"	CF8 (SS 304) CF8M (SS 316)	Investment Castings	
Sight Flow Indicator/ Sight Glass						
12	Sight indicator (Sight Glass)	Double window Flanged End 150#	½" to 8"	CF8 (SS 304) CF8M (SS 316) CF3M(SS316L) M.S. (WCB)	Double window Sight Glass Flange End 150# (Investment Castings)	
13	Sight indicator (Sight Glass)	Double window Screwed End/Socket Weld End	½" to 2"	CF8 (SS 304) CF8M (SS 316)	Double window Sight Glass S/E, S/W	
14	Sight indicator (Sight Glass)	Full View Sight Glass Flange End 150# (IC Casting)	½" to 3"	CF8 (SS 304) CF8M (SS 316)	IC Castings, Flange	

15	Sight indicator (Sight Glass)	Full View Sight Glass Flange End 150# (Solid Flange)	½" to 6"	CF8 (SS 304) CF8M (SS 316) WCB	Solid Flange Type and Check Nut Type Both	
Y- Strainer (Flange End/Screwed End)						
16	Y- Strainer	Flanged End 150#,	½" to 8"	CF8 (SS 304) CF8M (SS 316) M.S. (WCB)	Sand Casting MS & IC Castings SS (Both)	
17	Y- Strainer	Flanged End 300#	1" to 4"	M.S. (WCB)	Sand Casting MS	
18	Y- Strainer	Screwed End	½" to 1"	CF8 (SS 304) CF8M (SS 316) M.S. (WCB)	Investment Casted	
19	Steam Trap	Screwed End	½" to 1"	SS 420	SS 420 Steam Trap (Investment Castings)	
NRV (Non Return Valve)						
20	Disc Check Valve/ Non Return Valves	Non Slam Check Valves	½" to 10"	CF8 (SS 304) CF8M (SS 316)	Spring loaded Disc Check Valves sandwich Type	
21	Wafer Check Valve/ NRV	Wafer Check Valves	2" to 10"	CF8 (SS 304) CF8M(SS 316), WCB	Wafer Check Valves sandwich Type Between Two Flange	

22	NRV-Check Valve	Lift Type Check Valve Flange End 150#,	½" to 2"	CF8 (SS 304) CF8M (SS 316)	Investment Castings	
23	Swing Check Valve	Flange End 150 #,	1" to 8"	CF8/CS	Cast Steel	
Butterfly Valve						
24	Butterfly Valve	Wafer type suit for ASME B16.5 (PN16/10)	1" to 18"	CI/CS Body with SS304/316 & SG Iron Disc	Lever or Gear Operated	
Gate/Globe Valve						
25	Globe Valves	Flange End 150#, 300#	½" to 8"	CS(WCB) CF8 (SS 304) CF8M (SS 316)	Cast Steel & SS and CI	
26	Knife Edge Gate Valve	Flanged End 150#	2" to 12"	CF8 (SS 304)	SS 304 – Investment Castings)	
27	Gate, Globe, Check Valve Forge Steel	Screwed End/Socket Weld End 800# 1500#	½" to 2"	A-105,F-304L, F-316L, F11,F22 F5, F9	Forge Steel	

28	Gate, Globe, Check Valve (Forge Steel)	Flange End 150#,	½" to 2"	A-105,F-304L, F-316L,	Forge Steel	
29	Gate Valve (Cast Steel)	Flange End 150#, 300#	1" to 12"	CF8/CS/CI	Cast Steel	
30	Globe Valves (Cast Steel)	Flange End 150#, 300#	½" to 8"	Cast Steel (CS)	Cast Steel	
31	<p>Butt Weld End Ball Valve (15mm to 150mm) –SS/CS T-Bush Type Full View Sight Glass (25mm to 150mm)- SS/CS ND40 – Cast Steel Globe Valve (25mm to 200mm)- CS Butterfly Valve (40mm to 250mm) –CI Body with SS304 Disc Dual Plate Check Valve (40mm to 250mm) (CI/CS Body with SS304 Plate) Safety Relief Valve Pop Type (15mm to 25mm)- CS Body with SS Internal Ball Valve Table "E" and Table "F" (15mm to 100mm) – SS/CS</p>					